

ISITES2017

5TH INTERNATIONAL SYMPOSIUM ON INNOVATIVE TECHNOLOGIES IN ENGINEERING AND SCIENCE

29 Sept.-01 Oct. 2017

Architecture and Construction University

Baku – Azerbaijan

Honorary Chair

Prof. Dr. Gulchohra MAMMADOVA (Architecture and Construction U., Rector)

Prof. Dr. Muzaffer ELMAS (Sakarya University, Rector)

Organizing Committee

Prof. Dr. Naci ÇAĞLAR (Chair)

Prof. Dr. Sherifov Ali RZA

Prof. Dr. Mehmet SARIBIYIK

Prof. Dr. Shirinzade Irada NUSRAT

Assoc. Prof. Dr. M. Emin AYDIN

Prof. Dr. Barış TONGUC

Assist. Prof. Dr. Hakan ASLAN

Assist. Prof. Dr. Özer UYGUN

Assist. Prof. Dr. Beytullah EREN

Assist. Prof. Dr. M. Fatih ADAK

Dr. Aliyeva Konul RAMIQ

SCIENTIFIC COMMITTEE

Prof. Dr. Abdel Hadi KASSIBA (Le Mans University, France)
Prof. Dr. Adem ÇİÇEK (Yıldırım Beyazıt University, Turkey)
Prof. Dr. Adnan SÖZEN (Gazi University, Turkey)
Prof. Dr. Ahmet Alp (Sakarya University, Turkey)
Prof. Dr. Ahmet ERDİL (Kocaeli University, Turkey)
Prof. Dr. Ahmet Turk (Celal Bayar University, Turkey)
Prof. Dr. Angel Florancio Latorre Latorre (Valencia Polytechnic University, Spain)
Prof. Dr. Anikó Borbála Csébfalvi (University of Pécs, Hungary)
Prof. Dr. Ayhan Özdemir (Sakarya University, Turkey)
Prof. Dr. David Jeronimo Busquets Mataix (Valencia Polytechnic University)
Prof. Dr. Dionizy CZEKAJ (University of Silesia, Polonya)
Prof. Dr. Elias De Los Reyes Davo (Valencia Polytechnic University)
Prof. Dr. Faqan Qanbar Aliyev (Architecture and Construction U., Azerbaijan)
Prof. Dr. Faruk ÜNSAÇAR (Selcuk University, Turkey)
Prof. Dr. Fatih ÜSTEL (Sakarya University, Turkey)
Prof. Dr. Ganiyeva Sachli (Azerbaijan University of Architecture, Azerbaijan)
Prof. Dr. Ghulam Ali Mallah (Shah Abdul Latif University, Pakistan)
Prof. Dr. Hacı Ali MANTAR (TUBITAK, Turkey)
Prof. Dr. Hasan Arman (UAE University, UAE)
Prof. Dr. Hasan OKUYUCU (Yıldırım Beyazıt University, Turkey)
Prof. Dr. Hüseyin AKILLI (Çukurova University, Turkey)
Prof. Dr. Indubhushan Patnaikuni (RMIT University, Australia)
Prof. Dr. İrade Shirinzade (Azerbaijan Uni. of Architecture and Construction)
Prof. Dr. İslam İsrail Mustafayev (Architecture and Construction U., Azerbaijan)
Prof. Dr. Jose Luis Perez Aparicio (Universidad Politécnica de Valencia)
Prof. Dr. József Bódis (University of Pécs, Rector)
Prof. Dr. Juan Vicente Balbastre Tejedor (Valencia Polytechnic University, Spain)
Prof. Dr. Kemalettin YILMAZ (Sakarya University, Turkey)
Prof. Dr. Latifov Fuad (Azerbaijan University of Architecture, Azerbaijan)
Prof. Dr. M. Ali Yurdusev (Celal Bayar University, Turkey)
Prof. Dr. Mehmet ÖZKAYMAK (Karabuk University, Turkey)
Prof. Dr. Mohammed Imbabi (Aberdeen University, United Kingdom)
Prof. Dr. Murat PALA (Adiyaman University, Turkey)
Prof. Dr. Nargiz Cavad Abdullayeva (Architecture and Construction U., Azerbaijan)
Prof. Dr. Pete Bettinger (University of Georgia, USA)
Prof. Dr. Refik Polat (Karabuk University, Turkey)
Prof. Dr. Ricardo ALARCON (Arizona State University, USA)
Prof. Dr. Seyhan FIRAT (Gazi University, Turkey)
Prof. Dr. Sharifov Arif (Azerbaijan University of Architecture, Azerbaijan)
Prof. Dr. Tahira Axi Haqverdiyeva (Architecture and Construction U., Azerbaijan)
Prof. Dr. Vicente Boria (Valencia Polytechnic University, Spain)
Prof. Dr. Y. Cengiz Toklu (Bilecik University, Turkey)
Prof. Dr. Yılmaz Yalçın (Kocatepe University, Turkey)
Prof. Dr. Yüksel ABALI (Celal Bayar University, Turkey)
Assoc. Prof. Dr. Aşkın Özocak (Sakarya University, Turkey)
Assoc. Prof. Dr. Basil Hamed (Islamic University of Gaza, Palestine)
Assoc. Prof. Dr. Biswajeet Pradhan (University Putra Malaysia, Malaysia)

Assoc. Prof. Dr. Durmuş KARAYEL (Sakarya University, Turkey)
Assoc. Prof. Dr. Emrah DOĞAN (Sakarya University, Turkey)
Assoc. Prof. Dr. Ertan Bol (Sakarya University, Turkey)
Assoc. Prof. Dr. Fahrettin ÖZTÜRK (Petroleum Institute, Abu Dhabi, UEA)
Assoc. Prof. Dr. Fahri Vatansever (Uludağ University, Turkey)
Assoc. Prof. Dr. Fatih ÇALIŞKAN (Sakarya University, Turkey)
Assoc. Prof. Dr. Filiz Ersöz (Karabuk University)
Assoc. Prof. Dr. Ismail Rakıp Karas (Karabuk University, Turkey)
Assoc. Prof. Dr. Kazuhiro Aruga (Utsunomiya University, Japan)
Assoc. Prof. Dr. M. Reza Mobasheri (KNTToosi Univ. of Technology, Iran)
Assoc. Prof. Dr. Mehmet Aydın KÖMÜR (Aksaray University, Turkey)
Assoc. Prof. Dr. Mehmet ÖZALP (Karabuk University, Turkey)
Assoc. Prof. Dr. Murat MAKARACI (Kocaeli University, Turkey)
Assoc. Prof. Dr. Neslihan Dikbaş (Ataturk University, Turkey)
Assoc. Prof. Dr. Rani EL MEOUCHE (Ecole Spéciale des Travaux Publics, France)
Assoc. Prof. Dr. Saied Pirasteh (University of Waterloo, Canada)
Assoc. Prof. Dr. Salah NASRI (United Arab Emirates University, UAE)
Assoc. Prof. Dr. Saul Sodré Roberto dos Reis (Federal Uni of Mato Grosso, Brazil)
Assoc. Prof. Dr. Şenay Şimşek (North Dakota State University, USA)
Assoc. Prof. Dr. Serkan SUBAŞI (Duzce University, Turkey)
Assoc. Prof. Dr. Woodam Chung (University of Montana, USA)
Assoc. Prof. Dr. Yılmaz Uyaroğlu (Sakarya University, Turkey)
Assoc. Prof. Dr. Yong-Sheng Chen (National Chiao Tung University, Taiwan)
Assoc. Prof. Dr. Zafer TATLI (Sakarya University, Turkey)
Assoc. Prof. Dr. Emin UĞURLU (Celal Bayar University, Turkey)
Assist. Prof. Dr. Ayla Arslan (International Uni. of Sarajevo, Bosnia Herzégovine)
Assist. Prof. Dr. Eblal Zakzok (The Ohio State University, USA)
Assist. Prof. Dr. Fuat ŞİMŞİR (Karabuk University, Turkey)
Assist. Prof. Dr. Halis Şimşek (North Dakota State University, USA)
Assist. Prof. Dr. M. Emin Arslan (Duzce University, Turkey)
Assist. Prof. Dr. Michael Wing (Oregon State University, USA)
Assist. Prof. Dr. Muharrem Düğenci (Karabuk University, Turkey)
Assist. Prof. Dr. Osman SÖNMEZ (Sakarya University, Turkey)
Assist. Prof. Dr. Sedat Sert (Sakarya University, Turkey)
Assist. Prof. Dr. Taner Ersoz (Karabuk University, Turkey)
Assist. Prof. Dr. Zehra Şule GARIP (Karabuk University, Turkey)
Dr. Akif Fazil Qasimov (Architecture and Construction University, Azerbaijan)
Dr. Amin Hosseinian-Far (Williams College, United Kingdom)
Dr. Ann Hilliard (Bowie State University, USA)
Dr. Antonio Aguero Ramon Llin (Valencia Polytechnic University, Spain)
Dr. Benjamin Pla Moreno (Valencia Polytechnic University, Spain)
Dr. Bunyat Sardar Sardarov (Architecture and Construction University, Azerbaijan)
Dr. Elchin Nazim Yusifzade (Architecture and Construction University, Azerbaijan)
Dr. Hai Jin (Huazhong University of Science and Technology, Wuhan, China)
Dr. Hikmet Suleyman Mammadov (Architecture and Construction U., Azerbaijan)
Dr. Lyes Saad Saoud (University of Boumerdes, Algeria)
Dr. Pintér Éva (University of Pécs, Pécs, Hungary, Co-Chair)
Dr. Rafael Masot Peris (Valencia Polytechnic University, Spain)
Dr. Sergio Garcia Nieto Rodrigex (Valencia Polytechnic University, Spain)

Dr. Shahla Ahmad (Azerbaijan University of Architecture, Azerbaijan)

Dr. Sudha Yerramilli (Jackson State University, USA)

Dr. Zahida Gulmammad Mammadova (Architecture and Construction U., Azerbaijan)

Dr. Zakir Samad Musayev (Architecture and Construction University, Azerbaijan)

Sept 30	9. Session	13:30-15:00
Salon A	Paper Title	Authors
Chairman Dilehan AVŞAR	Evaluation of Waste Heat and Saving Potential in Blast Furnaces Hot Stoves by Utilization of a Recuperator and an Absorption Chiller	Erhan Kayabasi Hüseyin Kurt
	Experimental and simulating study of water immersion cooling of canned carrot puree	Hakima Acheheb, Amina Adjout, Sabrine Gouba
	Institutions And Institutions Who Support The Farmers Using Agricultural Grants And Subsidies In Agricultural Production In Turkey	Dilehan Avşar, Gökhan Avşar
	Obtaining Optimum Parameters of Biodiesel Production from Tobacco Seed Oil by Multi-Response Taguchi Method and MANOVA	Semra Boran, Hülya Karabaş, Harun Reşit Yazgan

Sept 30	9. Session	13:30-15:00
Salon B	Paper Title	Authors
	Use of Spatial Analysis Methods in Land Appraisal; Konya Example	Şükran Yalpır, Fatma Bünyan Üne
Chairman İ.N. SHRINZADE	On-site Safety Considerations for Scaffoldings	Erkan Dogan, Sadik Alper Yildizel, Mehmet Ali Yurdusev
	Nonlinear Dynamic Analysis of Laminated Composite Plates Supported by Springs	Ihsan Kucukrendeci, Kemal Ermis
	Development of the technology of building ceramics based on fusible clays and dolomite	İ.N. Shirinzade, İ.H. Mammadova

Sept 30**9. Session****13:30-15:00**

Salon F	Paper Title	Authors
Chairman Özer UYGUN	Evaluation Of Textile And Clothing Sector With Regard To Sustainability	Turan Atılğan, Seher Kanat
	Demir Çelik Sektöründe Bulanık Mantık Yaklaşımıyla Optimal Stok Seviyelerinin Belirlenmesi: Kardemir A.Ş. Örneği	Fuat Simsir, Hulya Cıvık, Ozer Uygun
	GIS-Based Urban Growth Area Selection Using Analytic Hierarchy Process In Edirne/Turkey	Mevlüt Uyan, Şükran Yalpır
	Forecasting Sproadic Demand In Supply Chain Management	Mehmet Gulsen, Kunter Ipek
	The Effects Of Green Purchasing And Supply Policies On Enterprises' Competitiveness In Clothing Sector	Seher Kanat, Turan Atılğan
	Mekansal Planlama Alan Kullanım Kararlarında Güneş Enerji Santrallerinin Yer Seçimi Kriterleri	Atila Gul, Afşar Karakoc, Seriiye Rehimbeyli

15:00 – 15:15 Coffee Break



ACADEMIC
PLATFORM

ISITES2017

5TH INTERNATIONAL SYMPOSIUM ON INNOVATIVE TECHNOLOGIES IN
ENGINEERING AND SCIENCE



SAKARYA
UNIVERSITY



AZERBAIJAN UNIVERSITY OF
ARCHITECTURE AND CONSTRUCTION

Certificate of Participation

This certificate is awarded to

Şükran Yalpir

for the appreciation of his presentation and research contributions to
5TH International Symposium on Innovative Technologies in Engineering and Sciences.

29 SEPT - 01 OCT, 2017 BAKU - AZERBAIJAN

Chair

Prof. Dr. Naci ÇAĞLAR

Use of Spatial Analysis Methods in Land Appraisal; Konya Example

Sukran Yalpir and Fatma Bunyan Unel
Selcuk University, Geomatics Engineering Department, 42031, Konya, Turkey

Abstract:

Real estate valuation is an important topic needed to be studied carefully because of that there are a lot of subjective criteria individualized. The type of real estate in the study was considered as land, the value indices were created with the help of Geographic Information Systems (GIS) using Neighborhood and Locational factors for Konya/Turkey province. While the indexes were being created, the results of the frequency analysis of the questionnaire study on the criterion affecting the value were utilized.

The value of land that is subject of purchase-sale in the settlement districts of Konya province is collected from the market. Legal and physical characteristics of the know value of land have been added to local and spatial indexes. The appraisal of the land were estimated by Multiple Regression Analysis (MRA) method. In the study results determine the model performance were calculated comparatively and results were analyzed by integrating GIS.

Key words: Mass appraisal, real estate valuation, GIS, regression.

1.Introduction

Real estate valuation is valuation estimation considering by plot, land, residence, commercial, etc. of real estate's legal, physical, spatial and neighborhood characteristics within a certain period of time of real estates. Taxation, insurance, expropriation (confiscation) and other important transactions that an important contribution to the economy of the country is an important issue. Modern valuation methods should be used due to traditional valuation methods are left in mass appraisal applications. For the methods that can be used in mass real estate valuation, the optimum time of the criteria that affect the value is important in terms of labor and cost. In this study, plot was considered as the real estate type and the criteria affecting the land value were examined. In urban areas, such as residence, commercial, institutions etc. which is the basis of fields of importance, especially due to reasons such as migration, urban projects, are increasing day by day. The construction of appropriate projects without speculation and unearned income are directly related to the determination of value in transparently. This way is to obtain the criteria that affect the optimum standardized plot value.

In the literature studies, special criteria have been searched in general for the effects and associations on residence real estate values. For instance, the green zones in the neighborhood [1], Brownfield settlement [2], campus areas [3], number and distance of public transport stops [4], boreholes [5], zebra mussel [6], proximity to access infrastructure and accessibility [7], natural risks such as floods, avalanche [8], state forests [9], Pennypack Park [10], traffic noise pollution [11-12], air pollution [13-14], natural landscapes such as sea, mountain, street and building [15], pleasant and unpleasant landscapes [16] and the effects of shale gas [17-18] have

*Corresponding author: Address: Selcuk University, Alaaddin Keykubat Campus, Faculty of Engineering, Department of Geomatics Engineering, 42075, Konya TURKEY. E-mail address: sarici@selcuk.edu.tr

been investigated on the real estate value. Public transport [19] and urban architecture [20] have been associated with the real estate value also. It is understood that almost all of these studies addressed specific criteria related with location.

There are studies in which addressed on its own location-based criteria. Techniques for location modeling have been identified by demonstrating an analytical approach based on the development of location properties [21]. Spatial properties were analyzed by hedonic method using location weight matrix to reveal spatial correlation [22]. Foliage, surface water, noise effects and landscape fetures from consisting of environmental factors in association with real estate value was investigated by correlation analysis [23]. The relationship between residence values and determinants of both the urban environment and the structural characteristics of the residence market has been analyzed [24].

Studies with regard to investigation of real estate valuation methods and the development of the real estate valuation system have been carried out. Pagourtzi *et al.* [25] in their study, it has been examined individually by classifying the valuation methods and it has been found that there is a difference in the criteria, the criterion numbers and the groupings for each method. Using the GIS technology [26], an real estate valuation system was developed according to YSA and hedonic models [27]. Moreover, the tax value of land type of real estate has been estimated by using sales comparison, multi-attribute market value assessment (MAMVA) and mass appraisal methods for real estate taxation system [28]. The purpose of this study is to generate an index with the help of GIS for the spatial and neighborhood features of the criteria affecting the plot value and is to verify by using MRA. The indexes were created by the weights obtained from the frequency analysis results of the previous survey study. Each classified to raster maps weighted summation of the criteria of weights and spatial properties was applied. In Konya city center at settlement of neighborhoods, which are subject to purchase and sale of plots that markets and corresponding index values were added to the data set. The values of the market samples, legal and physical characteristics are also added to the data set. The data set was edited and value estimates were made by multiple regression analysis (MRA) method. Performance analysis were applied to compare market value with model value.

2. Materials and Method

As the market sampling area, central neighborhoods close to Konya/Turkey city center were preferred. As you move away from the city center, you are encountering the neighborhoods of the central districts, which were formerly called villages. Therefore, the density of the plot will decrease in remote neighborhoods. Because of using data of plots with the optimum criteria during the model verification phase, the neighborhoods in the central districts of Karatay, Meram and Selçuklu of Konya were taken as study areas. Maps of the study area were provided and necessary arrangement were made (Figure 1).




Figure 1. The area of market sample

2.1. Criteria Affecting Plot Value

There are many criteria that affect the plot value, both objective and subjective. These criteria are grouped into major topics as legal, physical, spatial and neighborhood features (Table 1).

The data related to the criteria for neighborhood features were collected on a small scale based on a neighborhood-based and others on a large scale parcel-based. Moreover, market samples were obtained by providing the values of the plots which are subject to purchase–sell in central neighborhoods. Most of the criteria corresponding to the market samples have been reached. Unreachable data could not be included in the model by ignoring.

2.2. Multiple Regression Analysis

In multivariate regression analysis, the independent variables are trying to explain the change in the dependent variable simultaneously. The model of the MRA analysis,

$$y_i = \beta_0 + \beta_1 x_{i1} + \beta_2 x_{i2} + \dots + \beta_k x_{ik} + u_i \quad (1)$$

y_i : Dependent variable (value of real estate)

$x_{i1}, x_{i2}, \dots, x_{ik}$: Independent variables (share, area, TAKS, KAKS, number of floors, etc.)

u_i : Corruption or error term.

β_0 : Constant

$\beta_1, \beta_2, \dots, \beta_k$: coefficients of variation

can be demonstrate by a general formula . The F test in the result of analysis and R^2 are the important concepts to be checked first. The F test is a test with ANOVA to examine whether the regression model is significant. The level of significance corresponding to the value of F resulting from the ANOVA test helps in determining whether the created model is appropriate. The result of F test is significant ($p < 0.05$), it is interpreted that the model contributes significantly to explain the dependent variable. The R^2 value indicates that how many percentage

of the variance in the dependent variable is explained by the independent variable [29]. The closer this value is to 1, the better the model is explained by the independent variables [30].

Table 1. The criteria affecting value of the land (are subheadings, written in bold and italic).

NO	A. LEGAL FEATURES	Q38	Proximity to Educational Institutions	Q78	Proximity to underpass/ overpass
Q1	Property Conditions	Q39	Proximity to Pre-schools	Q79	Proximity to Unsanitary Areas
Q2	Full Ownership	Q40	Proximity to High Schools	Q80	Proximity to was disposal areas
Q3	Shared Ownership	Q41	Proximity to Higher Education Institutions	Q81	Proximity to treatment facilities
Q4	Zoning Status	Q42	Proximity to courses	Q82	Proximity to natural gas and tube filling facilities
Q5	The Gross Floor Area	Q43	Proximity to Public Institutions	Q83	Proximity to petrol stations
Q6	Total Construction Area	Q44	Proximity to governorships	Q84	Proximity to base stations
Q7	The number of floors \geq 10	Q45	Proximity to Municipalities	Q85	Proximity to energy transmission lines
Q8	The number of floors $<$ 10	Q46	Proximity to Courthouse	Q86	Proximity to underdeveloped areas
Q9	Detached Building	Q47	Proximity to Jailhouse	Q87	Proximity to marsh areas
Q10	Attached Buildings	Q48	Proximity to Security Units	Q88	Proximity to natural disaster areas
Q11	Legal Restraints	Q49	Proximity to Police Stations	Q89	Proximity to not improved river areas
Q12	Right of Mortgage	Q50	Proximity to Military Zones	Q90	Proximity to Industrial Zones
Q13	Easement	Q51	Proximity to Fire Departments/ 112 Emergency	Q91	Proximity to Graveyards
Q14	Annotation of Lease	Q52	Proximity to Attraction Centers	Q92	Proximity to Worship Places
Q15	Plot Area	Q53	Proximity to Shopping Centers	Q93	Proximity to Business Centers
NO	B. PHYSICAL FEATURES	Q54	Proximity to Hypermarkets	Q94	Proximity to Parking Areas
Q16	<i>The location of the plot</i>	Q55	Proximity to mini-markets	Q95	The View From The Plot
Q17	Corner parcel	Q56	Proximity to open/closed bazaars	Q96	Mountain, valley, etc. views
Q18	Intermediate parcel	Q57	Proximity to commercial enterprises	Q97	Lake, river, stream, etc. view
Q19	Geometric Structure	Q58	Proximity to Cultural Centers	Q98	City view
Q20	Length of the Frontage	Q59	Proximity to cinemas/theaters	NO	D. NEIGHBOURHOOD FEATURES
Q21	The number of frontage	Q60	Proximity to historical sites and touristic attractions	Q99	Population density
Q22	Geometric shape	Q61	Proximity to Entertainment Centers	Q100	Education Level
Q23	Technical Infrastructure Services	Q62	Proximity to fairs, concert areas, etc.	Q101	Level of income
Q24	Water supply	Q63	Proximity to sport facilities	Q102	Immigrant receiving
Q25	Electricity, sewer, natural gas, and telephone	Q64	Proximity to stadium/hippodrome	Q103	Criminal Rate
Q26	Solid waste collection service	Q65	Proximity to entertainment venues	Q104	Neighborliness Relations
Q27	Storm drainage	Q66	Proximity to Green Areas	Q105	Homeowner/tenant
Q28	Unpaved road	Q67	Proximity to forest/copses	Q106	The Surrounding Environment
Q29	Asphalt road	Q68	Proximity to recreation areas	Q107	The favorite neighborhood
Q30	The Road Condition	Q69	Proximity to parks	Q108	Residential Density
Q31	The Periphery Road	Q70	Proximity to playgrounds	Q109	Development potential
Q32	Road width \geq 10	Q71	Proximity to Public Transportation Points	Q110	Purchasing and selling mobility of real estate
Q33	Road width $<$ 10 metre	Q72	Proximity to airports	Q111	Underground, soil, and aboveground features
Q34	The Slope of The Plot	Q73	Proximity to railway stations	Q112	Slope of the neighborhood
NO	C. LOCATIONAL FEATURES	Q74	Proximity to coach station	Q113	Geological condition
Q35	Proximity to Health Facilities	Q75	Proximity to tramway, subway and metrobus stations	Q114	Climate Condition
Q36	Proximity to health center, dispensary, etc.	Q76	Proximity to bus stops	Q115	Air Pollution
Q37	Proximity to State/Private Hospitals	Q77	Proximity to shared taxi routes	Q116	Noise Pollution

2.3. Performance Analysis

The results of the mean absolute error (MAPE) (2), the root mean square error (RMSE) (3) and the mean absolute error (MAE) (4) were used in the performance analyzes to compare the model values and the market values obtained from the criteria. The performance of the model is investigated with these error rates especially in the studies in which the method is developed for real estate valuation [31-36].

$$MAPE = \frac{1}{n} \sum_{i=1}^n \frac{|y_i - \hat{y}_i|}{y_i} \quad (2)$$

$$MAE = \frac{1}{n} \sum_{i=1}^n |y_i - \hat{y}_i| \quad (4)$$

$$RMSE = \sqrt{\frac{1}{n} \sum_{i=1}^n (y_i - \hat{y}_i)^2} \quad (3)$$

y_i = Market values,
 \hat{y}_i = Model values,
 \bar{y} = Average market values,
 $i = 1, 2, 3, \dots, n$
 n = Number of selected samples

3. Result and Discussion

3.1. Index Generation

The subtopics and location index of the spatial properties are obtained. There are a total of 12 of these are Health (Q36-37), Education (Q39-42), Government Agency (Q44-47), Security (Q49-51), City Center (Q52), Shopping (Q54-57), Culture (Q59-60), Entertainment (Q62-65), Green Zones (Q67-70), Transportation (Q72-78), Harmful Areas (Q80-89) and Others.

The proximity analysis was applied considering the criteria for each subtopic that is, the accessible distances of the outfits available in the map, and raster maps were attained by classifying them in the range 1-5. Using the weights of the frequency analysis in the previous survey study, the maps were combined and indexes were produced. For instance, in order to obtain the health index map, equipment with the heading "health center, dispensary, etc." have been applied proximity analysis at distances of 250-500-750-1,000-1,250 meters on the map (Figure 2a). Since this analysis is in the resultant vector format, it has been converted to raster form (Figure 2b) and the closest distance to the 0-250 m range is 5 points, the distance from the 1,250 meters is 0 points and is classified in the range of 0-5 (Figure 2c). The same processes were applied to the outfits also in the "state/private hospitals" layer (Figure 2d). Thus, there are two criteria under health institutions, namely "health center, dispensary, etc." and "state/private hospitals" and classified raster maps are obtained. The map consisting of the pixel values of the maps multiplied by weights of 3.91 and 3.87 respectively in the survey has been produced the Health Index Map by reclassifying between 1-10, (Figure 2e). Similar processes were applied to Education, Government Agency, Security, City Center, Shopping, Culture, Entertainment, Green Zones, Transportation, Hazardous Areas and Others also by considering the grouping in the survey and their indexes were generated and the location features of the subtopics were obtained.




Figure 2. Production of health index map from location features

The pixel values corresponding to the market samples are transferred from ArcGIS to the data set in matrix form according to the criterion analysis methods. If the market samples correspond to two or more pixel values, weighted averages are calculated by taking the fields of the samples into account and added to the data set.

3.2. Model Verification

MRA was applied to the data of legal, physical, neighborhood features and location index of market samples in the center neighborhoods of Konya using SPSS software. As a result of the analysis, since the significance level (0.000) $p < .05$, corresponding to the F values in the ANOVA test, indicates that the regression analysis is appropriate and the models are significant. The criteria that make up the model account for about 85% of the market value and 15% cannot be explained for reasons such as economic, non-existent data and unearned income.

Model values were calculated using the coefficients of the criteria in consequence of. The data distribution of the market value and the model value is examined and the line equation of the trendline is obtained with R^2 . It has been understood that the R^2 value is with 0.85 is close to 1 and the criteria described the model well. Moreover, the fact that the x coefficient of the line equation is close to 1 shows that the model value approaches the market value (Figure 3).




Figure 3. Data distribution of model

3.3. Performance Analysis

MAPE, RMSE, and MAE ratios of the value obtained from the model with market value by calculating the performance of the model was examined. The MAPE ratio of the model is 0.287, which is close to about 29% of the market value. It is also seen that the model has good performance in the form of RMSE 0.013 and MAE 0.008. The model value of market samples ± 0.032 shows the distribution of standard deviation between samples.

Table 2. Performance results

	Number of criteria	Standard deviation	R^2	$y=ax$	MAPE	RMSE	MAE
Model	41	0.032	0.850	$y=0.9464x$	0.287	0.013	0.008

4. Conclusion

Criteria affecting real estate value vary from country to country, from region to region and from person to person and there are many criteria. Criteria for mass appraisal studies should be determined at optimum level. In this study, the indexing process was carried out by grouping the criteria that affect the value of the plot. It has been reduced to 12 by indexing with a total of 64 criteria including subtopics and criteria of spatial properties. Real estate valuation is linked to GIS and GIS is a good means that can be used in almost every stage of valuation. So as to regulate the data of neighborhood and spatial features and to generate location indexes benefited from GIS. GIS is used to standardize data and generate value maps also. Criteria for determination, which is going to be base to mass real estate valuation is very important in terms of reaching fast, accurate and quality valuation results as they make up the basis of the subject. Criteria, which are going to reflect the basic characteristics of real estates in a region should be handled with great care. Because the union of these criteria will bring about for the economic corresponding of each real estate. Geographical data models were produced with indices for use in mass appraisal methods and criteria were standardized. Moreover, the spatial features are reduced in the criterion numbers and at the optimum level criteria have been obtained. The model, which is produced from legal, physical and neighborhood features and location indices, is explained by 85% with 29% error rate. In other words, the model obtained with 41 criteria that it is seems to explained 85% of the plot value, which is the dependent variable. The part of unexplained 15% of the model has been determined to be due to variable economics, rent, political conditions and non-existent data.

Acknowledgements

The authors would like to thank pollsters who made efforts and participants who patiently completed the questionnaire in the data collection phase of the survey. This study was supported by the Scientific and Technological Research Council of Turkey (TÜBİTAK) with 115Y769 Project Number and the project of 15101008 by Selcuk University BAP coordinator.

References

- [1] Li QC. Neighborhood greenspace's impact on residential property values: understanding the role of spatial effects. Faculty of the USC Graduate School University of Southern California, PhD, California; 2010.
- [2] Mihaescu OP. Brownfield sites and their negative impact on residential property values: A spatial hedonic regression approach. The University of Cincinnati, PhD, Cincinnati; 2010.
- [3] Stewart SD. The impact of selected higher education institutions on single family home values: A hedonic approach with GIS application. The University of Pennsylvania, PhD, Pennsylvania; 2010.
- [4] Son K. Regression model predicting appraised unit value of land in San Francisco county from number of and distance to public transit stops using GIS. Texas A&M University, PhD, Texas; 2012.

- [5] Bennett A. The impact of hydraulic fracturing on housing values in Weld County, Colorado: A hedonic analysis. Colorado State University, MSc, Colorado; 2013.
- [6] Henry ENN. From turtle populations to property values: The effects of lakeshore residential development and The Invasive Zebra Mussel. Michigan State University, PhD, Michigan; 2013.
- [7] Bujanda A. Impacts of transportation infrastructure proximity and accessibility on real property values. The Faculty of the Graduate School of The University of Texas at El Paso, MSc, Texas: El Paso; 2014.
- [8] Casas C. Essays in applied industrial organization. University of Wisconsin, PhD, Madison; 2014.
- [9] Smigielski E. Effect of New York State Forests on residential property values. State University of New York, MSc, Syracuse, New York; 2014.
- [10] Hammer TR, Coughlin RE, Horn IV ET. The effect of a large urban park on real estate value. *Journal of the American Planning Association*, 1974;40:274 - 277.
- [11] El-Gohary M. Property valuation model effect of traffic noise on property value. ECE 557 PROJECT Member, IEEE 2004.
- [12] Szczepanska A, Senetra A, Wasilewicz-Pszczółkowska M. The effect of road traffic noise on the prices of residential property – A case study of the polish city of Olsztyn. *Transportation Research Part D* 2015;36:167-177.
- [13] Ridker RG, Henning JA. The determinants of residential property values with special reference to air pollution. *The Review of Economics and Statistics* 1967;49:246-257.
- [14] Zheng S, Cao J, Kahn ME, Sun C. Real estate valuation and cross-boundary air pollution externalities: Evidence from Chinese Cities. *J Real Estate Finan Econ*. 2014;48:398-414.
- [15] Jim CY, Chen WY. Value of scenic views: Hedonic assessment of private housing in Hong Kong. *Landscape and Urban Planning* 2009;91:226-234.
- [16] Damigos D, Anyfantis F. The value of view through the eyes of real estate experts: A Fuzzy Delphi Approach. *Landscape and Urban Planning* 2011;101:171-178.
- [17] Klaiber HA, Gopalakrishnan S. The impact of shale exploration on housing values in Pennsylvania. The Agricultural & Applied Economics Association's. Seattle, Washington; 2012.
- [18] Muehlenbachs L, Spiller E, Timmins C. The housing market impacts of shale gas development. Duke University, Seminar, Washington, New York; 2014.
- [19] Yu D. A spatial analysis of real estate prices and public transportation in the greater Los Angeles area. The Faculty of The USC Graduate School University of Southern California, MSc, California; 2014.
- [20] Davey CA. Productive urban landscapes: The relationship between urban agriculture and property values in Minneapolis. Minnesota, Kansas State University, PhD, Manhattan, Kansas; 2015.
- [21] McCluskey WJ, Borst RA. Specifying the effect of location in multivariate valuation models for residential properties: A critical evaluation from the mass appraisal perspective. *Property Management* 2007;25:312-343.
- [22] Kryvobokov M, Wilhelmsson M. Analysing location attributes with a hedonic model for apartment prices in Donetsk, Ukraine. *International Journal of Strategic Property Management* 2007;11:157-178.
- [23] Cellmer R, Senetra A, Szczepanska A. The effect of environmental factors on real estate value. FIG Working Week 2012. Rome, Italy; 2012.

- [24] Zoppi C, Argiolas M, Lai S. Factors influencing the value of houses: Estimates for the city of Cagliari, Italy. *Land Use Policy* 2015;42:367–380.
- [25] Pagourtzi E, Assimakopoulos V, Hatzichristos T, French N. Real estate appraisal: A review of valuation methods. *Journal of Property Investment & Finance* 2003;21:383-401.
- [26] Pagourtzi E, Assimakopoulos V. Development of real estate evaluation system with the use of G.I.S. technology. 10th European Real Estate Society Conference. ERES: Conference. Helsinki, Finland; 2003.
- [27] Liu X, Deng Z, Wang T. Real estate appraisal system based on GIS and BP neural network. *Transactions of Nonferrous Metals Society of China* 2011;21:626-630.
- [28] Raslanas S, Zavadskas EK, Kaklauskas A, Zabulėnas AR. Land value tax in the context of sustainable urban development and assessment. Part II – Analysis of land valuation techniques: The case of Vilnius. *International Journal of Strategic Property Management* 2010;14:173–190.
- [29] Altunışık R, Coşkun R, Bayraktaroğlu S, Yıldırım E. Sosyal Bilimlerde Araştırma Yöntemleri SPSS Uygulamalı. Sakarya Yayıncılık, Sakarya; 2010.
- [30] Yalpir Ş. Bulanık mantık metodolojisi ile taşınmaz değerlendirme modelinin geliştirilmesi ve uygulaması: Konya örneği. Selçuk Üniversitesi, Fen Bilimleri Enstitüsü, Doktora Tezi, Konya; 2007.
- [31] Kuşan H, Aytekin O, Özdemir İ. The use of fuzzy logic in predicting house selling price. *Expert Systems with Applications* 2010;37:1808–1813.
- [32] Lin CC. Critical analysis and effectiveness of key parameters in residential property valuations. State University of New York, The Faculty of The Graduate School of The University at Buffalo, PhD, New York; 2010.
- [33] Fernandez-Martinez R, Fernandez-Ceniceros J, Sanz-Garcia A, Lostado-Lorza R, Martinez-De-Pison-Ascacibar FJ. Dimensionality reduction in a database related with viticulture crops using wrapper techniques. *International Journal of Mathematical Models And Methods In Applied Sciences* 2011;5:866-873.
- [34] Lughofer E, Trawinski B, Trawinski K, Kempa O, Lasota T. On employing fuzzy modeling algorithms for the valuation of residential premises. *Information Sciences* 2011;181:5123–5142.
- [35] Saraç E. Yapay sinir ağları metodu ile gayrimenkul değerlendirme. İstanbul Kültür Üniversitesi, Fen Bilimleri Enstitüsü, Yüksek Lisans Tezi, İstanbul; 2012.
- [36] Kavas S. Konut fiyatlarının çok kriterli bir karar destek modeli ile tahmin edilmesi. İstanbul Teknik Üniversitesi, Fen Bilimleri Enstitüsü, Yüksek Lisans Tezi, İstanbul; 2014.