



















- Jeoloji Bülteni, 52 (2), 155-215, Ankara.
- Meriç, E., Avşar, N., Nazik, A., Yokeş, M., Barut, İ. F., Eryılmaz, M., Kam, E., Taşkın, H., Başsarı, A., Dinçer, F., Bircan, C., Kaygun, A. (2012). Ilıca Koyu (Çeşme-İzmir) bentik foraminifer-ostrakod toplulukları ile Pasifik Okyanusu ve Kızıldeniz kökenli göçmen foraminiferler ve anormal bireyler. M.T.A. Dergisi, 145, 62-78, Ankara.
- Meriç, E., Yanko, V., Avşar, N. (1995). İzmit Körfezi (Hersek Burnu-Kaba Burun) Kuvaterner istifinin foraminifer faunası. İzmit Körfezi Kuvaterner İstifi (ed. E. Meriç), 105-151, İstanbul.
- Meriç, E., Yokeş, B., Avşar, N., Dinçer, F. (2010) İndo-Pasifik kökenli göçmen foraminiferler Karadeniz'e ulaşıyorlar mı?. TPJD Bülteni, 22 (2), 1-9, Ankara.
- Meriç, E., Avşar, N., Yokeş, M. B., Dinçer, F. (2014) Atlas of recent benthic foraminifera from Turkey. Micropaleontology, 60 (3-4), 211-398.
- Phipps, M.D., Kaminski, M.A. and Aksu, A.E. (2010). Calcareous benthic foraminiferal biofacies along a depth transect on the southwestern Marmara shelf (Turkey). Micropaleontology 56 (3-4), 377-392.
- Sakıncı, M. (2008). Marmara Denizi Bentik Foraminiferleri: Sistematik ve Otoekoloji. İstanbul Teknik Üniversitesi Rektörlüğü, publication no: 1638, 134pp.
- Ünlülata, Ü., Oğuz, T., Latif, M. A. and Özsoy, E. (1990). On the Physical Oceanography of the Turkish Straits. The Physical Oceanography of Sea Straits Volume 318 of the series NATO ASI Series pp 25-60.
- Yassini, I. and Jones, B. G. (1995). Foraminiferida and Ostracoda from estuarine and shelf environments on the southeastern coast of Australia. The University of Wollongong Press, 269 p.
- Yümün, Z. Ü. (2017). The effect of heavy metal pollution on foraminifera in the western Marmara Sea (Turkey). Journal of African Earth Sciences, 129, 346-365.